


Aircraft Parachute Systems

-High-Speed Fixed-Wing Aircraft



Performance Specifications

Model	T183-250
Maximum Total Weight	250 kg
Maximum Deployment Speed	260 km/h
Container Dimensions (mm)	Φ206*415
Total System Weight	8 kg
Deployment Time (at 90 km/h level flight)	5 s
Minimum Deployment Altitude (at 90 km/h level flight)	100m
Maximum Deployment Load	6 g
Maximum Descent Speed (at 1500 m ASL, standard temperature)	≤7m/s (equivalent to a fall from a height of 2.5 meters)
Closure Device	Yes
Parachute Area	71 m ²
Packing Cycle	6 years
Activation Method	Manual Activation/Flight Control Activation Autonomous Activation
ECU Communication Protocol	CAN \ PWM \ RS-232
ECU Power Input	12-36v
Operating Temperature Range	- 40°C - +60°C
Maintenance Interval	6 years
System Service Life	12 years

***Customized Service Available**

Contact

Tel: +86 159 7530 6533

E-mail: sales@skyeagleparachute.com

Web: www.skyeagleparachute.com

Address:

Building A1, Zhongjia Creative Park,
Donghuan Second Road, Longhua District,
Shenzhen City, Guangdong Province, China.

Copyright Reserved © Shenzhen SkyEagle Technology Co., Ltd.



Website